

WARNINGS AND PRECAUTIONS

- Keep out of the reach of children, uninformed persons and animals.
- May cause slight eye irritation.
- May cause allergic reactions in sensitive persons.
- Avoid inhaling the dust.
- Do not use after expiry date.
- Reseal packaging after use.
- Wash hands with soap and water before eating, drinking or smoking.

IMPORTANT POINTS TO REMEMBER

- Remember you are working with a living organism.
- Store at 4 – 10°C for maximum shelf-life.
- Do not leave the powder or mixture standing in the sun.
- Use within 6 hours of mixing.

See enclosed directions for application and use.



CAUTION
VERSIGTIG



Eco-77®

Reg. No. L7495, Act No. 36 of 1947 / N-AR1447

GROUP **BM02** FUNGICIDE

A biofungicide for the protection of pruning wounds on grape vines against *Eutypa* and for the suppression of *Botrytis* on crops as specified.



 **Andermatt**
Madumbi



| | |
|--|------|
| | 250g |
| | 1kg |

Active ingredient

Trichoderma atroviride strain 77B
(Min 2 x 10⁹ spores per gram)



Founding Member:

SABO
South African Bioproducts Organisation



Inspected by ECOCERT SA F-32600

Product suitable for use in organic agriculture complying to the annexes of the (EC) regulation n° 834/2007 and 889/2008 and NOP regulation.

Registered and produced by:
Andermatt PHP (Pty) Ltd.
Co. Reg. No. 2003/007987/07
Country of origin: South Africa

 **Andermatt**
PHP

Distributed in South Africa by:
Andermatt Madumbi (Pty) Ltd
Co. Reg. No. 2009/020798/07
Tel: +27 (0) 33 342 3984

Email: support@anderlatt.co.za
Suite 105, 24 Hilton Avenue, Hilton, 3245
www.anderlatt.co.za



Batch No:
Expiry date:

PEEL

Eco-77®

Reg. No. L7495, Act No. 36 of 1947 / N-AR1447

GROUP **BM02** FUNGICIDE

A biofungicide for the protection of pruning wounds on grape vines against *Eutypa* and for the suppression of *Botrytis* on crops as specified.

Active ingredient: *Trichoderma atroviride* strain 77B
(Min 2 x 10⁹ spores per gram)

DISCLAIMER: Although this product has been tested under a variety of conditions, the supplier does not warrant that it will be efficacious under all conditions. Because the active agent is a living organism, its action may be affected by storage, handling, climatic or soil conditions. The supplier is also not responsible for poor performance of the product due to failure of the user to follow the label instructions. This naturally-occurring organism should not cause damage to crops, vegetation or the environment, nor harm to man and animals. However, in the unlikely event of this happening, the supplier does not accept responsibility for any damage that may occur.

- MIXING AND APPLICATION INSTRUCTIONS**
- Mix with water at the recommended rate and apply as a full cover spray.
 - Do not mix in containers that have previously been used for toxic substances.
 - Wash mixing containers well with soap and water before use.
 - Good spray coverage is essential.
- Shake or stir the product mixture frequently during use to avoid settling out of the product
 - Do not apply when temperatures are below 15°C or above 35°C.
 - Avoid pH extremes (less than 3 or higher than 8).

DIRECTIONS FOR USE - USE ONLY AS DIRECTED.

COMPATIBILITY

- Do not mix with any agrochemicals without first consulting your sales agent.
- Avoid the use of broad-spectrum fungicides for at least three days before and after *Eco-77*® applications.

REGISTERED USAGES:

| Crop/Pest | Dosage | Remarks |
|--|--|---|
| <i>Eutypa</i> Grape vine pruning wounds | Apply at a rate of 1g per 2L of water (50g per 100L) | Apply as a directed spray onto each pruning wound immediately after pruning |
| <i>Botrytis</i> Tunnel or greenhouse tomato and cucumber | | Apply as a full cover spray when disease is first noticed. Repeat as needed |
| <i>Botrytis</i> Table and wine grapes | | A minimum of 250 g/ha is recommended. Apply first application at full flowering, repeat at pea-berry, veraison and 7 days pre-harvest |
| <i>Botrytis</i> Onions | | A minimum of 250g/ha is recommended. First application is at onset of bulbing, repeat at onset of leaf fall, subject to disease incidence or severity |